## VERDEGRO®

### A LEADER... NOT A FOLLOWER!

MANUFACTURER OF TRAFFIC SAFETY SYSTEMS & LED LIGHTING TOWERS

### CONTENT

Ц	G	Н	Ν	G	

INTRO 6
OVERVIEW 8
HYBRID LED LIGHT TOWER 10
HYBRID LED LIGHT TOWER CUBE 12
LED LIGHT TOWER TRAILER 14
LED LIGHT TOWER UNIT 16

#### CRASH

INTRO 18
OVERVIEW 20
TRAILER TRUCK MOUNTED ATTENUATOR 22
TRUCK MOUNTED ATTENUATOR 24
LIGHT TRUCK MOUNTED ATTENUATOR 26
TRUCK MOUNTED ATTENUATOR-EU 28
ARROW BOARD FOR TMA 30

#### TRAFFIC

INTRO 32 OVERVIEW 34 SOLAR MESSAGE TRAILER 36 SOLAR MESSAGE UNIT 38 ROOF MOUNTED DISPLAY 40 ARROW TRAILERS 42 MOBILE VARIABLE MESSAGE SIGNS 44 MOBILE LANE SIGNALING 46 MOBILE AUTOMATIC ROADBLOCK SYSTEM 50







HYBRID LED LIGHT TOWER CUBE (LLTC-H)



LED LIGHT TOWER TRAILER (LLTT)



LED LIGHT TOWER UNIT (LLTU)



TRAILER TRUCK
MOUNTED
ATTENUATOR (TTMA)



TRUCK MOUNTED
ATTENUATOR
(TMA-US)



LIGHT TRUCK
MOUNTED
ATTENUATOR (LTMA)



TRUCK MOUNTED OPTIONAL ATTENUATOR-EU ARROW BOARDS (TMA-EU) FOR TMA'S



SOLAR MESSAGE TRAILER (SMT)



SOLAR MESSAGE UNIT (SMU)



ROOF MOUNTED DISPLAY (RMD)



ARROW TRAILERS (AT)



MOBILE VARIABLE MESSAGE SIGNS (VMS)



MOBILE LANE SIGNALING (MLS)



MOBILE AUTOMATIC ROADBLOCK SYSTEM (M.A.R.S.)









#### **\*** ■ HYBRID POWERED



#### HYBRID LED LIGHT TOWER CUBE (LLTC-H)

## LIGHTING SOLAR AND TOWERS, SAVE BIG MONEY N REFUELING AND

A NEW CONCEPT FOR THE WORLD WIDE MARKET...

\* SOLAR POWERED






LED LIGHT TOWER UNIT (LLTU)









#### 1250 KG










HYBRID LED LIGHT TOWER CUBE































# CRASH TRAFFIC AND WORKZONE SAFETY

ALUMINUM AND
GALVANISED STEEL
PARTS ONLY

A NEW CONCEPT FOR
THE WORLD WIDE MARKET...









21

TRAILER TRUCK MOUNTED ATTENUATOR (TTMA)

TRUCK MOUNTED ATTENUATOR (TMA-US)


TRUCK MOUNTED ATTENUATOR (TMA-US)





NCHRP 350/100 kph TESTED INCLUDING
OPTIONAL IMPACT TESTS
OPTIONAL ARROW BOARD







TESTED ACCORDING THE NCHRP 350 TLIII 100 kph (3-50 / 3-51 / 3-52 / 3-53). 2000P TESTS WERE DONE WITH A 2000 KG US PICK-UP TRUCK TESTED ACCORDING THE UK OPTIONAL 110 KPH TEST (TD 49/07) OPTIONAL 110 kph TEST

#### 950 KG






25





TESTED ACCORDING THE NCHRP-350 TLII 70 kph (2-50 / 2-51). 2000P TESTS DONE WITH 2000 KG US PICK-UP TRUCK





TESTED IN THE EU SPIRIT OF THE NCHRP 350 TL3 100 KPH (3-50/3-51/3-52/3-53) 2000P TEST'S WERE DONE WITH 2000KG MORE EUROPEAN STYLE SUV'S









## OPTIONAL ARROW BOARD?

CONTACT US AND MAKE YOUR TMA COMPLETE...


















# TRAFFIC THE INTERNATIONAL VMS STANDARDS STARTS HERE

A NEW CONCEPT FOR THE WORLD WIDE MARKET...





SOLAR MESSAGE TRAILER (SMT) SOLAR MESSAGE UNIT (SMU) ROOF MOUNTED DISPLAY (RMD)





- 880 WP SOLAR SYSTEM

SIGN PROGRAMMABLE BY TABLET OR SMARTPHONE

LOW POWER CONSUMPTION FULL COLOR LED SIGN

UNIQUE AUTOMATIC ROTATION & STABILIZATION SYSTEM

ONE BUTTON OPERATION

EASY-TO-USE FRONT MOUNTED CONTROL PANEL

SPARE TIRE AND CONE STORAGE SPACE

REMOVABLE GALVANISED DRAWBAR

RUBBER SUSPENSION BRAKED AXLE
2 ALUMINUM PAINTED BATTERY COMPARTMENTS
4 LIFT EYES ON EACH CORNER
GALVANISED CHASSIS

PORTABLE RUMBLE STRIPS STORAGE
- STABILIZER CHASSIS FOR HEAVY WIND LOADS

OPTICS ACC. NEN-EN 12966 EMC TESTED (ELECTROMAGNETIC COMPATIBILITY) WIFI OR UMTS WIRELESS COMMUNICATION

750 KG (UP TO 1100 KG)











PATENTED NO 2001420 (SMU)

 $\epsilon$ 

SOLAR CHARGING SYSTEM

UP TO 6,5 M HEIGHT

LOW POWER CONSUMPTION FULL COLOR LED SIGN

SIGN PROGRAMMABLE BY TABLET OR SMARTPHONE

- OPTIONAL HYDRAULIC LIFT SYSTEM

MAINTENANCE FREE BATTERY PACK

OPTIONAL HYBRID POWER SYSTEM

PERSONALIZED WITH TWO TONE PAINT JOB

GALVANISED STEEL CONSTRUCTION FRAME
FORKLIFT TUBES

OPTICS ACC. NEN-EN 12966 EMC TESTED (ELECTROMAGNETIC COMPATIBILITY) WIFI OR UMTS WIRELESS COMMUNICATION







FULL COLOR LED SIGN, LOW POWER CONSUMPTION

- SIGN PROGRAMMABLE BY TABLET OR SMARTPHONE OPTIONAL FIXED TOUCH CONTROLLER IN CABIN

AND TEXTS ALSO DYNAMIC ALUMINUM AND STAINLESS


COVER PROTECTED WHEN SIGN IS LOWERED MAX SPEED UP: 80 kph, LOWERED 162 kph

ELECTRIC FOLDING DEVICE 12 OR 24V DC POWERED

- OPTIONAL EQUIPPED WITH EXTRA WARNING LIGHTS

STEEL FRAME





OPTICS ACC. NEN-EN 12966 EMC TESTED (ELECTROMAGNETIC COMPATIBILITY) WIFI OR UMTS WIRELESS COMMUNICATION

- RUBBER ANTI-VIBRATING MOUNTING PARTS


48 KG







41






750 KG (UP TO 1400 KG)









SOLAR POWERED

SIGN PROGRAMMABLE BY TABLET OR SMARTPHONE

WIFI AND UMTS WIRELESS COMMUNICATION

FULL COLOR VMS ACC. YOUR SPECIFICATIONS

TRAILER CHASSIS OPEN OR CLOSED DESIGN

HYDRAULIC LEVELING SYSTEM, OPTIONAL VMS ROTATION

SMALL OR WEIGHT TRAILER CHASSIS

DOUBLE OR SINGLE AXLE TRAILER

OPTICS ACC. NEN-EN 12966 EMC TESTED (ELECTROMAGNETIC COMPATIBILITY) WIFI OR UMTS WIRELESS COMMUNICATION

750 KG (UP TO 1400 KG)












OPTICS ACC. NEN-EN 12966 EMC TESTED (ELECTROMAGNETIC COMPATIBILITY) WIFI OR UMTS WIRELESS COMMUNICATION

± 10.000 KG









M.A.R.S.







#### $\epsilon$ PATENTED NO 1031311

**OPERATION** 

- TWO BUILT IN LIGHTED CAMERAS AUTOMATICALLY TURN ON DURING

- JOYSTICK CONTROLLED FROM CABIN

PATENTED RUMBLEMAT LAYER FRONT-OR UNDER CHASSIS MOUNTED

MOUNTING CHASSIS BRACKET INCLUDED

- DIMENSIONS 220 CM X 63,5 CM X 3 CM

- TWO ROBOTIC UNITS PROVIDED WITH ROTATABLE "FINGERS"

DOUBLE REFLECTORS ON TOP

RUMBLEMAT RUBBER

FIBERGLASS -REINFORCED



- AUTOMATICALLY PICK & PLACE TMA

M.A.R.S. M.A.R.S.







RUMBLEMAT LAYER

# DESN'T MAKE

THAT IS WHY ALL OUR ELEMENTS ARE















PROVEN SAFETY ALSO WHEN IT'S NOT A TEST

